



Inspection Report

ALLISON OSBURN JIMMERSON
ROBERT OSBURN

Customer ID: 6352
Certificate: 43-A-2621
Site: 001
ROBERT & ALLISON OSBURN

OSBURNS KENNEL
4311 W HWY 86

Type: ROUTINE INSPECTION
Date: Feb-23-2011

JOPLIN, MO 64804

2.40 (b) (2) REPEAT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

(b) Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include:
(2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care.

*****A female Shih Tzu (microchip #054-263-803) had a clear discharge from its left eye. The cornea was cloudy in this eye. The dog had not been examined by a veterinarian and was not being treated. Eye problems can be painful, can lead to loss of vision, and can affect the well-being of the dog. The licensee must have the dog examined by a veterinarian and keep a record of any prescribed treatments. This affects one dog.

*****A female Great Dane (microchip# 029-364-270) was shaking and was unstable on its hind legs. The licensee had taken the dog to the attending veterinarian who performed diagnostic laboratory work and believed the dog to have some type of infection. The dog was currently on a 10 day course of antibiotics prescribed by the vet. However, the licensee did not have documentation of the treatments given or of the dog's response to treatment. A written log of daily observations and treatments for sick and injured dogs is necessary to document that proper treatment was given and whether or not the dog is responding to treatment. The licensee must maintain a written log of daily observations and treatments for this dog and any future dogs with injuries or illness. This affects one dog.

*****A bottle of liquid acetaminophen labeled for humans was present in the whelping building. The licensee stated that the medication was not currently being used. The medication was not listed on the Program of Veterinary Care. All medications must be approved in writing by the attending veterinarian prior to use on the dogs so that the appropriate type and dose of medication is used. The licensee must have all medications used currently and in the future approved by the attending vet. The licensee removed the acetaminophen during the inspection.

2.50 (a)

TIME AND METHOD OF IDENTIFICATION.

Sec. 2.50 Time and method of identification.

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 5032

Date:
Feb-23-2011

Received By:

(b)(6),(b)(7)(c)

Date:
Feb-23-2011

Title:



Inspection Report

- (a) A class "A" dealer (breeder) shall identify all live dogs and cats on the premises as follows:
(2) Live puppies or kittens, less than 16 weeks of age, shall be identified by:

-There was one (1) Pomeranian female puppy that was weaned and over 8 weeks in age. This animal was not identified in any manner.
-There was one (1) Chow-chow puppy that was weaned and over 8 weeks in age but not identified
-There was one (1) Cocker Spaniel puppy that was weaned and over 8 weeks in age but not identified
The puppies in the kennel that are weaned but under 16 weeks of age must be identified in an approved manner.
This is necessary for proper identification of all the animals in the kennel.

This affects 3 puppies

To be corrected by 5 March 2011

3.1 (c) (1) (i) **REPEAT**

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(c) Surfaces-

(1) General requirements.

(i) Be free of excessive rust that prevents the required cleaning and sanitization, or that affects the structural strength of the surface

There was one stand alone enclosure that was severely rusted on the front face. This enclosure cannot be properly cleaned or sanitized in its present condition. The owner needs to repair/replace the stand alone enclosure in a manner that will allow it to be properly cleaned and sanitized.

This affects 1 dog

3.1 (c) (2) **REPEAT**

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(c) Surfaces--

(2) Maintenance and replacement of surfaces. All surfaces must be maintained on a regular basis. Surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--that cannot be readily cleaned and sanitized, must be replaced when worn or soiled.

-There were at least 6 shelters in the outdoor portion of the facility where the dogs had clawed/chewed the wood at the entrance.

-There was one (1) 2 x 4 along the lower edge of the southwest kennel building on the east side where the wood appeared to be rotted and damaged by the dogs. The owner needs to repair/replace the damaged areas of wood.

This affects at least 8 dogs

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5032

Date:

Feb-23-2011

Received By:

(b)(6), (b)(7)(c)

Date:

Feb-23-2011

Title:



Inspection Report

3.4 (b) (4)

OUTDOOR HOUSING FACILITIES.

Sec. 3.4 Outdoor housing facilities.

(b) Shelter from the elements.

(4) Contain clean, dry, bedding material if the ambient temperature is below 50 [deg]F (10 [deg]C). Additional clean, dry bedding is required when the temperature is 35 [deg]F (1.7 [deg]C) or lower.

There were 4 enclosures that did not have have bedding in them. What was in the shelters appeared to be dirt and gravel. The owner needs to provide suitable bedding for the animals any time the temperature is less than 50 deg F. This is necessary for the welfare of the animals.

This affects 6 dogs

To be corrected by 25 February 2011

Inspection and exit interview conducted by the owner, Konnie Plumlee, VMO, and David Brigance, ACI

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5032

Date:

Feb-23-2011

Received By:

(b)(6), (b)(7)(c)

Date:

Feb-23-2011

Title:



Inspection Report

ALLISON OSBURN JIMMERSON
ROBERT OSBURN

Customer ID: **6352**
Certificate: **43-A-2621**
Site: 001
ROBERT & ALLISON OSBURN

OSBURNS KENNEL
4311 W HWY 86

Type: ROUTINE INSPECTION
Date: Sep-13-2010

JOPLIN, MO 64804

2.40 (b) (2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

Sec. 2.40 Attending veterinarian and adequate veterinary care (dealers and exhibitors).

(b) Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include:

(2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care;

There was one bull terrier female in the east kennel. This female had bi lateral hair loss on the back from the tail head midway up the back approximately 6 inches. The width of the hair loss varied from 2 inches down to approximately 1 inch at the front. The skin does appear thickened but no redness was observed. There was some flaking seen on the skin. This animal needs to be seen by licensed veterinarian to assess its condition. The owner needs to maintain a written record of the care for this animal.

This affects 1 dog

To be corrected by 15 September 2010

2.75 (a) (1)

RECORDS: DEALERS AND EXHIBITORS.

Sec. 2.75 Records: Dealers and exhibitors.

(a)(1) Each dealer, other than operators of auction sales and brokers to whom animals are consigned, and each exhibitor shall make, keep, and maintain records or forms which fully and correctly disclose the following information concerning each dog or cat purchased or otherwise acquired, owned, held, or otherwise in his or her possession or under his or her control, or which is transported, euthanized, sold, or otherwise disposed of by that dealer or exhibitor.

The owner does have records of the dogs on hand (APHIS 7005). However the owner has not documented the identification numbers for approximately 75 of the dogs. The owner needs to keep the records current at all times.

This is necessary for proper identification of all animals in the kennel

This affects at least 75 dogs

To be corrected by 30 September 2010

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 5032

Date:
Sep-13-2010

Received By:

(b)(6),(b)(7)(c)

Date:
Sep-13-2010

Title:



Inspection Report

3.1 (a)

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(a) Structure; construction. Housing facilities for dogs and cats must be designed and constructed so that they are structurally sound. They must be kept in good repair, and they must protect the animals from injury, contain the animals securely, and restrict other animals from entering.

-There was a gap of approximately 6 by 8 inches next to the gate at the top of the wire of one (1) enclosure on the west side of the kennel. This enclosure housed 2 newfoundlands. One of these dogs was seen sticking its head out through the opening in the wire. This can allow the animal to get its head stuck in the opening.

-There were 4 dogs in 2 enclosures that had clawed/scratched holes under the fence. These enclosures were in the center of the outdoor area.

The owner needs to repair the fence in a manner that will protect the animals in the enclosure.

This affects 6 dogs

To be corrected by 20 September 2010

3.1 (b)

REPEAT

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(b) Condition and site. Housing facilities and areas used for storing animal food or bedding must be free of any accumulation of trash, waste material, junk, weeds, and other discarded materials. Animal areas inside of housing facilities must be kept neat and free of clutter, including equipment, furniture, and stored material, but may contain materials actually used and necessary for cleaning the area, and fixtures or equipment necessary for proper husbandry practices and research needs.

-The grass and weeds on the outside of the outdoor portion of the kennel were calf high on this inspector and there was cut wood piled near the gate going into the outdoor facility.

-There was miscellaneous building material, old plastic buckets, gates, wood and horse panel portions adjacent to the kennels and buildings. This unused materials will provide a good harborage for pests in the kennel area.

-There was a plastic bulk feeder lying on the ground outside of 2 enclosures in the outdoor facility

-The owner had stacked empty feedbags and newspapers in the corner of the east barn type building. The owner needs to remove any unused materials and trash from the kennel buildings and from the outdoor kennel areas. This is necessary for proper cleaning of the facility and will aid in keeping pests out of the facility.

This affects 119 dogs

3.1 (c) (1)

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR Inspector 5032

Sep-13-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Sep-13-2010



Inspection Report

(c) Surfaces--(1) General requirements. The surfaces of housing facilities--including houses, dens, and other furniture--type fixtures and objects within the facility--must be constructed in a manner and made of materials that allow them to be readily cleaned and sanitized, or removed or replaced when worn or soiled. Interior surfaces and any surfaces that come in contact with dogs or cats must:

(i) Be free of excessive rust that prevents the required cleaning and sanitization, or that affects the structural strength of the surface;

-The horse panels in the kennel - both outdoor and sheltered areas- of the facility have substantial rusted areas. These rusted areas cover almost 1/2 of the panels from the ground up.

-The horse panel portions that are used as gates in the sheltered facilities indoors are rusted and covered with grime.

-The metal covering the entrances of 2 outdoor shelters have rusted surfaces.

-There were 2 areas below the doors of the south central building on the east side that were rusted. These areas were either below the door or next to it.

The rust will weaken the structural strength of the horse panels and the rusted areas on the wall cannot be cleaned. The rusted metal has a rough surface that precludes proper cleaning. The owner needs to repair/replace the rusted metal. This is needed for strength and cleaning of the surfaces.

This affects at least 50 dogs

To be corrected by 30 October 2010

3.1 (c) (2) REPEAT

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(c) Surfaces

(2) Maintenance and replacement of surfaces. All surfaces must be maintained on a regular basis. Surfaces of housing facilities--including houses, dens, and other furniture--type fixtures and objects within the facility--that cannot be readily cleaned and sanitized, must be replaced when worn or soiled.

-There were approximately 6 outdoor shelters that the dogs had chewed and scratched the wood at the entrances.

-There were at least four (4) 2 x 4's that were used at the center support for the dividers of the south central kennel building on both sides that the dogs had chewed on.

-There were at least 3 thresholds that the dogs had chewed on the south central kennel building.

These surfaces cannot be properly cleaned in their present condition. The owner needs to repair/replace the wood and thresholds in a manner that will allow them to be properly cleaned and maintained.

This affects at least 19 dogs

3.1 (c) (3)

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(c) Surfaces--

(3) Cleaning. Hard surfaces with which the dogs or cats come in contact must be spot-cleaned daily and sanitized in accordance with Sec. 3.11(b) of this subpart to prevent accumulation of excreta and reduce disease hazards... All other surfaces of housing facilities must be cleaned and sanitized when necessary to satisfy generally accepted husbandry standards and practices

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR Inspector 5032

Sep-13-2010

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Sep-13-2010



Inspection Report

-There was a buildup of dirt and debris on the horse panel gates on the inside of the 2 sheltered facilities.
-There was fecal matter and hair at the edges of the concrete surfaces of the 2 sheltered facilities in the middle of the kennel facility.
-There was fecal matter on the ground where the drainage lines had become separated in the middle of the outdoor facility
-There was debris/fecal waste in the gap next to the PVC pipe drain on the east side of the south central kennel building.
-There was an accumulation of fecal matter in the gravel pens of the eastern most kennel building. The owner stated that the waste had been removed from the enclosures on Saturday. The owner must remove the waste from the pens on a daily basis.
There is a light coating of dirt on the surfaces of the buildings.
The owner needs to properly clean and sanitize the facility.
This affects 119 dogs To be corrected by 15 October 2010

3.4 (b) OUTDOOR HOUSING FACILITIES.

Sec. 3.4 Outdoor housing facilities.
(b) Shelter from the elements. Outdoor facilities for dogs or cats must include one or more shelter structures that are accessible to each animal in each outdoor facility, and that are large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely.

-There were 4 Cocker Spaniels in one enclosure on the west side of the outdoor portion of the facility. These dogs had only 1 medium sized shelter provided for them. This shelter does not provide the space necessary for the animals to all assume normal postures in the shelter.
-There was one (1) Great Dane on the north side of the outdoor facility. The shelter in this enclosure was not large enough for the animal in that enclosure. The animals head and shoulders were above the roof line of the shelter when standing next to it. The owner needs to provide a shelters that are suitable for the animals in these 2 enclosures.
This affects 5 dogs To be corrected by 20 September 2010

Inspection and exit interview conducted by the owner, Jan Feldman, ACI and David Brigance, ACI

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 5032

Date:
Sep-13-2010

Received By:

(b)(6),(b)(7)(c)

Date:
Sep-13-2010

Title:



Inspection Report

ALLISON OSBURN JIMMERSON
ROBERT OSBURN

Customer ID: 6352

Certificate: 43-A-2621

Site: 001

ROBERT & ALLISON OSBURN

OSBURNS KENNEL
4311 W HWY 86

Type: ROUTINE INSPECTION

Date: Jun-14-2010

JOPLIN, MO 64804

3.1

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(b) Condition and site. Housing facilities and areas used for storing animal food or bedding must be free of any accumulation of trash, waste material, junk, weeds, and other discarded material

There was a growth of weeds on the outside wire of the outdoor enclosures. The weeds had grown up to the top of the 4 foot wire.

The owner needs to remove the weeds and maintain the areas to ensure that they are kept trimmed. This is necessary to prevent diseases, insects and other pests in the kennel area.

This affects 15 dogs

To be corrected by 21 June 2010

3.1

REPEAT

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(c) Surfaces-

(2) Maintenance and replacement of surfaces. All surfaces must be maintained on a regular basis. Surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--that cannot be readily cleaned and sanitized, must be replaced when worn or soiled.

-There are sections of wood in the south enclosure that have been chewed/scratched by the dogs

-There are cracks in the concrete of the northwest pen and the pens on the east side of the south structure

This raw wood is not impervious to moisture and the cracks allow waste to collect in them. These surfaces need to be sealed/repared in a manner that makes them impervious to moisture.

This affects 32 dogs

Prepared By:

DAVID BRIGANCE, A.C.I

USDA, APHIS, Animal Care

Date:

Title:

ANIMAL CARE INSPECTOR

Inspector 5032

Jul-02-2010

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Jul-02-2010



Inspection Report

3.1

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(f) Drainage and waste disposal. Housing facility operators must provide for regular and frequent collection, removal and disposal of animal and food wastes, bedding, debris, garbage, water, other fluids and wastes, and dead animals, in a manner that minimizes contamination and disease risks.

There were piles of waste in the rock building (gravel) that has turned white with age. This waste needs to be removed more often. This is necessary for odor control; pest control and diseases in the facility

This affects 12 dogs

To be corrected by 18 June 2010

3.6

REPEAT

PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures.

(a) General requirements.

(2) Primary enclosures must be constructed and maintained so that they:

(i) Have no sharp points or edges that could injure the dogs and cats;

-There are sharp wires in the west pens of the outdoor facility

-There are sharp wire points in the pen between the 2 west kennel facilities

These sharp wires can cause injury to the animals. The owner needs to repair the enclosures in a manner that will protect the animals from the sharp wires. This is necessary for the protection of the dogs.

This affects 8 dogs

3.11

REPEAT

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Sec. 3.11 Cleaning, sanitization, housekeeping, and pest control.

(b) Sanitization of primary enclosures and food and water receptacles.

(2) Used primary enclosures and food and water receptacles for dogs and cats must be sanitized at least once every 2 weeks using one of the methods prescribed in paragraph (b)(3) of this section, and more often if necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards.

-There was a greenish growth in 10 of the water containers

-There were 20 feed and water containers that were chewed around the edges.

The owner needs to properly clean the water bowls and feeders; those feed and water bowls that have been chewed

Prepared By:

DAVID BRIGANCE, A.C.I

USDA, APHIS, Animal Care

Date:

Title:

ANIMAL CARE INSPECTOR

Inspector 5032

Jul-02-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jul-02-2010



Inspection Report

on the edges either need to be replaced or repaired
This affects 30 dogs

Inspection and exit interview conducted by the owner and David Brigance, ACI

This is a corrected inspection report- correcting the citation of 3.1.c.1.ii to read 3.6.a.2.i to match the previous inspection of 03 August 2009

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 5032

Date:
Jul-02-2010

Received By:

(b)(6), (b)(7)(c)

Date:
Jul-02-2010

Title:



Inspection Report

ALLISON OSBURN JIMMERSON
ROBERT OSBURN

Customer ID: 6352

Certificate: 43-A-2621

Site: 001

ROBERT & ALLISON OSBURN

OSBURNS KENNEL
4311 W HWY 86

Type: ROUTINE INSPECTION

Date: Jun-14-2010

JOPLIN, MO 64804

3.1

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general

(b) Condition and site. Housing facilities and areas used for storing animal food or bedding must be free of any accumulation of trash, waste material, junk, weeds, and other discarded material

There was a growth of weeds on the outside wire of the outdoor enclosures. The weeds had grown up to the top of the 4 foot wire.

The owner needs to remove the weeds and maintain the areas to ensure that they are kept trimmed. This is necessary to prevent diseases, insects and other pests in the kennel area.

This affects 15 dogs

To be corrected by 21 June 2010

3.1

REPEAT

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general

(c) Surfaces-

(2) Maintenance and replacement of surfaces. All surfaces must be maintained on a regular basis. Surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--that cannot be readily cleaned and sanitized, must be replaced when worn or soiled.

-There are sections of wood in the south enclosure that have been chewed/scratched by the dogs

-There are cracks in the concrete of the northwest pen and the pens on the east side of the south structure

This raw wood is not impervious to moisture and the cracks allow waste to collect in them. These surfaces need to be sealed/repared in a manner that makes them impervious to moisture.

This affects 32 dogs

3.1

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(f) Drainage and waste disposal. Housing facility operators must provide for regular and frequent collection, removal,

Prepared By:

DAVID BRIGANCE, A.C.I

USDA, APHIS, Animal Care

Date:

Title:

ANIMAL CARE INSPECTOR

Inspector 5032

Jun-14-2010

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Jun-14-2010



Inspection Report

and disposal of animal and food wastes, bedding, debris, garbage, water, other fluids and wastes, and dead animals, in a manner that minimizes contamination and disease risks.

There were piles of waste in the rock building (gravel) that has turned white with age. This waste needs to be removed more often. This is necessary for odor control; pest control and diseases in the facility
This affects 12 dogs
To be corrected by 18 June 2010

3.1 REPEAT HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(c) Surfaces--(1) General requirements.

(ii) Be free of jagged edges or sharp points that might injure the animals.

-There are sharp wires in the west pens of the outdoor facility

-There are sharp wire points in the pen between the 2 west kennel facilities

These sharp wires can cause injury to the animals. The owner needs to repair the enclosures in a manner that will protect the animals from the sharp wires. This is necessary for the protection of the dogs.

This affects 8 dogs

3.11 REPEAT CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Sec. 3.11 Cleaning, sanitization, housekeeping, and pest control.

(b) Sanitization of primary enclosures and food and water receptacles.

(2) Used primary enclosures and food and water receptacles for dogs and cats must be sanitized at least once every 2 weeks using one of the methods prescribed in paragraph (b)(3) of this section, and more often if necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards.

-There was a greenish growth in 10 of the water containers

-There were 20 feed and water containers that were chewed around the edges.

The owner needs to properly clean the water bowls and feeders; those feed and water bowls that have been chewed on the edges either need to be replaced or repaired

This affects 30 dogs

Inspection and exit interview conducted by the owner and David Brigance, ACI

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR Inspector 5032

Jun-14-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jun-14-2010



Inspection Report

ALLISON OSBURN JIMMERSON
ROBERT OSBURN

Customer ID: 6352

Certificate: 43-A-2621

OSBURNS KENNEL
4311 W HWY 86

Site: 001

ROBERT & ALLISON OSBURN

JOPLIN, MO 64804

Type: ROUTINE INSPECTION

Date: Aug-03-2009

3.1 (c) (1)

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(c) Surfaces--(1) General requirements. The surfaces of housing facilities--including houses, dens, and other furniture--type fixtures and objects within the facility--must be constructed in a manner and made of materials that allow them to be readily cleaned and sanitized, or removed or replaced when worn or soiled.

The thresholds of the south east kennel building have rusted out, been chewed by the animals, and some of the thresholds have wood that has been rotted out. The thresholds all need to be repaired/replaced in the south east kennel building. This is necessary for the safety of the animals and to allow for proper cleaning of the enclosure. This affects 30 dogs. To be corrected by 30 August 2009

3.1 (c) (2)

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(c) Surfaces-

(2) Maintenance and replacement of surfaces. All surfaces must be maintained on a regular basis.

The wood at the bottom of the outside walls, the thresholds and interior surfaces of the South East and North east kennel buildings has been chewed or worn due to age. These surfaces can no longer be cleaned. The owner needs to repair/replace the wood in a manner that allows it to be properly cleaned and maintained. This affects 16 dogs. To be corrected by 30 August 2009

3.6 (a) (2) (i)

PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures.

(a) General requirements. (1) Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair.

(2) Primary enclosures must be constructed and maintained so that they:

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR Inspector 5032

Aug-03-2009

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Aug-03-2009



Inspection Report

(i) Have no sharp points or edges that could injure the dogs and cats;

-There are sharp wire points in the 4th pen from the south on the west side of the outdoor kennel area.

-There are sharp wire points in the 1st pen from the south on the west side of the outdoor kennel area.

-There are sharp wire points on the divider panels of the south building on the east side. The dividers are between the 4 pens from the south on the east side.

The owner needs to repair/replace the wire panels in order prevent the animals from being injured.

This affects 15 dogs

To be corrected by 20 August 2009

3.11 (b)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Sec. 3.11 Cleaning, sanitization, housekeeping, and pest control.

(b) Sanitization of primary enclosures and food and water receptacles. (1) Used primary enclosures and food and water receptacles must be cleaned and sanitized in accordance with this section before they can be used to house, feed, or water another dog or cat, or social grouping of dogs or cats.

There is a significant growth of a greenish substance in the water bowls of all the dogs in the outdoor portion of the facility. The water bowls must be cleaned and sanitized o a regular basis not to exceed every 14 days. This is necessary for the dogs to have access to clean potable water

This affects 44 dogs

To be corrected by 5 August 2009

Inspection conducted by the owner and David Brigance, ACI

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5032

Date:

Aug-03-2009

Received By:

(b)(6),(b)(7)(c)

Date:

Aug-03-2009

Title:



Inspection Report

ALLISON OSBURN JIMMERSON
OSBURNS KENNEL
4311 W HWY 86

Customer ID: **6352**

Certificate: **43-A-2621**

Site: 001

ROBERT & ALLISON OSBURN

JOPLIN, MO 64804

Type: ROUTINE INSPECTION

Date: Oct-29-2008

Inspection conducted by the owner and David Brigance, ACI

No non compliances noted at time of inspection

This is a transcribed copy of the original inspection report

Prepared By:

DAVID BRIGANCE, A.C.I. USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5032

Date:

Mar-23-2009

Received By:

(b)(6),(b)(7)(c)

Date:

Mar-23-2009

Title: